## GOODMAN & GILMAN'S TAC PHARMACOLOGICAL BASSOCIA THE APPLICATION OF THE

Ninth Edition

McGraw-Hill Health Professions Division

New York St. Louis San Francisco Auckland Bogotá Caracas Lisbon London Madrid Mexico City Milan Montreal New Delhi San Juan Singapore Sydney Tokyo Toronto

15	i
1	1
	ł
	l
4	l
i.	l
	l
12	l
- 4	Į
Đ.	١
12.5	1
16	ı
- B	ı
	ı
	İ
A.	THE PERSON NAMED IN COLUMN TWO IS NOT THE PERSON NAMED IN COLUMN TWO IS NAMED IN THE PERSON NAMED IN COLUMN TWO IS NAMED IN THE PERSON NAMED IN
	į
1	1
19-1 - 14-1	١
	١
Manual Posige Forms, and Side Effects	
#13 v 864 **	1
134 154	İ
	1
\$3 X	ı
A:	ı
<u>.</u>	ļ
15.4	į
e and Dosage Forms, and Side Effects	Ì
<i>ĕ</i> ≗	
	١
Ĕ	١
- 5	-
	1
. <u> </u>	
5 60	ļ
3 2	
	Ì
	ı
3. 3	-
Ā	-
. Ą	-
St	
<u> </u>	
a E	ļ
Table 19-1 Antidepressants: Chemical Structures, Dose:	
U	1
\$ 12 S1	
- E	
9-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	
e 1	•
<del></del>	
100 m	
4	

NOMPROPRIETARY MANIE (TRADE NAME)	1000	DOSE AND DOSAGE FORMS	-				Mark to the second			
Alexander Democratical Company of the Company of th	DOSE AN		JERIS	AAA 90000 00		SIDE REFECTS	EPPEC 1 S			The state of the state of the state of
Tertlary Amine Tricyclies $R_1  R_2  R_3$	Usual Doxe, mg/day	Extreme Dose, mg/day	Dosage Form	Amine Effects	Sedation	Antl- cholinergic Effects	Hypo- tension	Cardiac Effects	sam2jaS	Weight Gain
Amitriptyline (ELAVIL and others) C H C=CH(CH <sub>2</sub> ) <sub>2</sub> N(CH <sub>3</sub> ) <sub>2</sub>	100-200	25–300	0, I	NE, 5-1fT	÷ + +	+ + +	+++++++++++++++++++++++++++++++++++++++	+ + +	++	<del>1</del> +
Cloniprunine (ANAFRANIL) C CI N—(CH2)3N(CH3)2	100-200	25-250	0	NE, 5-HT	+++++++++++++++++++++++++++++++++++++++	+ +	÷ +	++++	+ + +	+
Doxepin (араги, sinequah) О Н N≕CH(CH2)₂N(CH3)2	100-200	25-300	0	NE, 5-HT	+ + +	<del>+</del> +	+++	<del>†</del> †	+++	++
Imipramine (TOFRANIL and others)  C H N—(CH <sub>2</sub> ) <sub>3</sub> N(CH <sub>3</sub> ) <sub>2</sub> (+)-Trimipramine (surmon'n.)  CH <sub>3</sub>	100-200	25-300	0,1	NE, 5-HT	<del>+</del> +	÷ ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ; ;	++	<del>' </del> + +	<del>!</del> +	++
C H NCH <sub>2</sub> CHCH <sub>2</sub> N(CH <sub>3</sub> ) <sub>2</sub>	75-200	25-300	0	NE, 5-HT	+ +	+ + + + + + + + + + + + + + + + + + + +	++	+++	+	+
Norepinephrine-Reuptake Inhibitors: Secondary Amine Tricyclics Amoxapine (ASENDIN)	200–300	50-600	0	NE, DA	+	+	+ +	<del>†</del>	+ +	+-
₹ H	100 200	25_300	C	N	1./-)	+	+	<del>+</del> +	+	÷
Desipraining (NORTHAMIR), PERTOPHAME)  OH, CH2CH2MICH3	007		)	2						
Maprotiline (1.UDIOMIL.)	100-150	25-225	0	NE	++	<del>+</del> +	+	+ +	+ + +	+
., сысызонычыя								i		